

Trade name: Spare gas for tail docker and gasdehorner, 200 ml

Version: 2 / RO

Date revised: 06.05.2025

Substance number:: 1753

Replaces Version: 1 / RO

Print date: 24.09.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Spare gas for tail docker and gasdehorner, 200 ml

Registration no.

UFI 8FED-W1JU-H00A-XEP4

Substance / product identification

PR-No. 15683, 1753, 221

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Gas cartridge

Identified Uses

SU1 Agriculture, forestry, fishery

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Albert Kerbl GmbH

Felizenzell 9

84428 Buchbach

Telephone no. +49 8086 933-100

Fax no. +49 8086 933-500

Information provided Albert Kerbl GmbH Tel.: 0049-(0)8086-933-302

by / telephone

E-mail address of sdb-team@kerbl.com

person responsible

for this SDS

1.4. Emergency telephone number

Joint poison information center for the states of Mecklenburg-Western Pomerania, Saxony, Saxony-Anhalt and Thuringia c/o HELIOS Klinikum Erfurt Nordhäuser Strasse 74

Tel.: (03 61) 73 07 30 - Fax: (03 61) 7 30 73 17

E-Mail: ggiz@ggiz-erfurt.de - Internet: www.ggiz-erfurt.de

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Aerosol 1 H222

Aerosol 3 H229

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Spare gas for tail dockers and gasdehorner, 200 ml

Version: 2 / RO

Date revised: 06.05.2025

Substance number:: 1753

Replaces Version: 1 / RO

Print date: 24.09.2025

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms ***



Signal word ***

Danger

Hazard statements ***

H222 Extremely flammable aerosol.
H229 Pressurized container: may burst if heated.

Precautionary statements ***

P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P403 Store in a well-ventilated place.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

The product contains no PBT or vPvB substances.

SECTION 3: Composition/information on ingredients ***

3.2. Mixtures

Further ingredients ***

Butane

CAS No. 106-97-8
EINECS no. 203-448-7
Concentration >= 50 %

[3]

Classification (Regulation (EC) No. 1272/2008)

Flam. Gas 1 H220
Press. Gas

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note C, U

propane

CAS No. 74-98-6
EINECS no. 200-827-9
Concentration >= 25 < 50 %

[3]

Classification (Regulation (EC) No. 1272/2008)

Flam. Gas 1 H220

Trade name: Spare gas for tail docker and gasdehorner, 200 ml

Version: 2 / RO

Date revised: 06.05.2025

Substance number:: 1753

Replaces Version: 1 / RO

Print date: 24.09.2025

Press. Gas

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note U

Isobutane

CAS No. 75-28-5

EINECS no. 200-857-2

Concentration >= 1 < 10 %
[3]

Classification (Regulation (EC) No. 1272/2008)

Flam. Gas 1 H220

Press. Gas

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note C, U

Note ***

[3] Substance with occupational exposure limits

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of persistent symptoms consult doctor. Burn: Rinse thoroughly with water until pain stops. Remove clothing that does not stick to the skin and seek medical advice/transport to hospital. If possible, continue flushing until medical help arrives.

After inhalation

Ensure supply of fresh air. When vapours are intensively inhaled, seek medical help immediately.

After skin contact

Wash off immediately with soap and water. Take medical treatment.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Remove contact lenses. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

Treat symptomatically

SECTION 5: Firefighting measures

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Spare gas for tail docker and gasdehorner, 200 ml

Version: 2 / RO

Date revised: 06.05.2025

Substance number:: 1753

Replaces Version: 1 / RO

Print date: 24.09.2025

5.1. Extinguishing media

Suitable extinguishing media

Dry powder, Foam, Water spray jet

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. In case the product spills into sewage waters, immediately inform the authorities.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Perform filling operations only at stations with exhaust ventilation facilities. Provide suitable exhaust ventilation at the processing machines. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

Storage classes

Storage class according to TRGS 510 2B Aerosol dispensers

Further information on storage conditions

Keep container tightly closed. Keep container in a well-ventilated place. Keep in a cool place. Gas mixture

Trade name: Spare gas for tail docker and gasdehorner, 200 ml

Version: 2 / RO

Date revised: 06.05.2025

Substance number:: 1753

Replaces Version: 1 / RO

Print date: 24.09.2025

is heavier than air and spreads on the ground.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Hold emergency shower available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

Hand protection

Chemical resistant gloves

Appropriate Material nitrile

Hand protection must comply with EN 374.

Gloves should be selected according to the use and duration of use at the workplace.

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry. Protective shoes

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Aerosol

Colour colourless

Odour odourless

Melting point

Remarks not determined

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Value -0,5 °C

Flammability

not determined

Upper and lower explosive limits

Remarks not determined

Flash point

Value -60 °C

Auto-ignition temperature

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Spare gas for tail docker and gasdehorner, 200 ml

Version: 2 / RO

Date revised: 06.05.2025

Substance number:: 1753

Replaces Version: 1 / RO

Print date: 24.09.2025

Value 365 °C

Decomposition temperature

Remarks not determined

pH value

Remarks not determined

Viscosity

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Value 2,08 bar

Density and/or relative density

Remarks not determined

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks soluble

Explosive properties

evaluation Container is under pressure: may burst when heated.

Oxidising properties

Remarks not determined

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Vapours can form an explosive mixture with air.

10.4. Conditions to avoid

Protect from heat/overheating.

Trade name: Spare gas for tail docker and gasdehorner, 200 ml

Version: 2 / RO

Date revised: 06.05.2025

Substance number:: 1753

Replaces Version: 1 / RO

Print date: 24.09.2025

10.5. Incompatible materials

Oxidising agents

10.6. Hazardous decomposition products

None

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Remarks not determined

Acute dermal toxicity

Remarks not determined

Acute inhalational toxicity

Remarks not determined

Acute inhalative toxicity (Components)

Butane

Species	mouse		
LC50	1237		mg/l

propane

Species	mouse		
LC50	1237		mg/l

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Remarks not determined

11.2. Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Spare gas for tail docker and gasdehorner, 200 ml

Version: 2 / RO

Date revised: 06.05.2025

Substance number:: 1753

Replaces Version: 1 / RO

Print date: 24.09.2025

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

Butane

Species	Fish				
LC50		24,11	to	147,54	mg/l

Algae toxicity (Components)

Butane

Species	Algae				
EC50		7,71	to	16,5	mg/l

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks	not determined
---------	----------------

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

Trade name: Spare gas for tail dock and gasdehorner, 200 ml

Version: 2 / RO

Date revised: 06.05.2025

Substance number:: 1753

Replaces Version: 1 / RO

Print date: 24.09.2025

SECTION 13: Disposal considerations

13.1. Waste treatment methods




Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	1950	1950	1950
14.2. UN proper shipping name	AEROSOLS	AEROSOLS	Aerosols, flammable
14.3. Transport hazard class(es)	2	2.1	2.1
Label			
Limited Quantity	1 I	1 I	
Transport category	2		
Tunnel restriction code	D		

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H222

Extremely flammable aerosol.

H229

Pressurized container: may burst if heated.

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Spare gas for tail docker and gasdehorner, 200 ml

Version: 2 / RO

Date revised: 06.05.2025

Substance number:: 1753

Replaces Version: 1 / RO

Print date: 24.09.2025

CLP categories listed in Chapter 3

Aerosol 1

Aerosol, Category 1

Aerosol 3

Aerosol, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.